

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| Analyte Code | Analyte Name | Effective Date | Expiration Date | Matrix | Category | Accr. Type |
|------------------------------|---|----------------|--------------------------|--------|-------------------|------------|
| Method Code: 20211614 | Method Ref: SM 9223 B (COLILERT QUANTI-TRAY)-2004 | | Revision: | | Date: 2004 | |
| 2525 | ESCHERICHIA COLI | 11/01/2018 | 10/12/2025 | D | MIC | NE |
| Method Code: 20212413 | Method Ref: SM 9223 B (COLILERT) | | Revision: 22ND ED | | Date: 2004 | |
| 2525 | ESCHERICHIA COLI | 11/01/2018 | 10/12/2025 | D | MIC | NE |
| 2500 | TOTAL COLIFORMS | 11/01/2018 | 10/12/2025 | D | MIC | NE |
| Method Code: 20213610 | Method Ref: SM 9223 B (COLILERT-18 QUANTI-TRAY)-2004 | | Revision: | | Date: 2004 | |
| 2525 | ESCHERICHIA COLI | 11/01/2018 | 10/12/2025 | D | MIC | NE |
| Method Code: 20214419 | Method Ref: SM 9223 B (COLILERT-18) | | Revision: 22ND ED | | Date: 2004 | |
| 2525 | ESCHERICHIA COLI | 11/01/2018 | 10/12/2025 | D | MIC | NE |
| 2500 | TOTAL COLIFORMS | 11/01/2018 | 10/12/2025 | D | MIC | NE |
| Method Code: 20231612 | Method Ref: SM 9223 B (COLISURE) | | Revision: 22ND ED | | Date: 2004 | |
| 2525 | ESCHERICHIA COLI | 11/01/2018 | 10/12/2025 | D | MIC | NE |
| 2500 | TOTAL COLIFORMS | 11/01/2018 | 10/12/2025 | D | MIC | NE |
| Method Code: 10013806 | Method Ref: EPA 200.7 | | Revision: 4.4 | | Date: 1994 | |
| 1000 | ALUMINUM | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1015 | BARIUM | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1020 | BERYLLIUM | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1030 | CADMIUM | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1035 | CALCIUM | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1040 | CHROMIUM | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1055 | COPPER | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1070 | IRON | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1085 | MAGNESIUM | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1090 | MANGANESE | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1105 | NICKEL | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1125 | POTASSIUM | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1150 | SILVER | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1155 | SODIUM | 10/13/2008 | 10/12/2025 | D | MET | NE |
| 1190 | ZINC | 10/13/2008 | 10/12/2025 | D | MET | NE |
| Method Code: 10014605 | Method Ref: EPA 200.8 | | Revision: 5.4 | | Date: 1994 | |
| 1000 | ALUMINUM | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1005 | ANTIMONY | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1010 | ARSENIC | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1015 | BARIUM | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1020 | BERYLLIUM | 04/27/2018 | 10/12/2025 | D | MET | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



ENDYNE INC (#2021)
160 JAMES BROWN DR

WILLISTON VT 05495
802-879-4333
Lab ID: 2021



| | | | | | | |
|---|---------------------------|------------|--------------------------|---|-------------------|----|
| 1030 | CADMIUM | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1040 | CHROMIUM | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1055 | COPPER | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1075 | LEAD | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1090 | MANGANESE | 07/30/2019 | 10/12/2025 | D | MET | NE |
| 1095 | MERCURY | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1100 | MOLYBDENUM | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1105 | NICKEL | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1140 | SELENIUM | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1150 | SILVER | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1165 | THALLIUM | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1184 | URANIUM (MASS) | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1185 | VANADIUM | 04/27/2018 | 10/12/2025 | D | MET | NE |
| 1190 | ZINC | 04/27/2018 | 10/12/2025 | D | MET | NE |
| Method Code: 10036609 Method Ref: EPA 245.1 | | | Revision: 3 | | Date: 1994 | |
| 1095 | MERCURY | 10/13/2008 | 10/12/2025 | D | MET | NE |
| Method Code: 10006403 Method Ref: EPA 120.1 | | | Revision: | | Date: 1982 | |
| 1610 | CONDUCTIVITY | 02/25/2011 | 10/12/2025 | D | NMI | NE |
| Method Code: 10011800 Method Ref: EPA 180.1 | | | Revision: 2.0 | | Date: 1993 | |
| 2055 | TURBIDITY | 02/25/2011 | 10/12/2025 | D | NMI | NE |
| Method Code: 10013806 Method Ref: EPA 200.7 | | | Revision: 4.4 | | Date: 1994 | |
| 1550 | CALCIUM HARDNESS AS CaCO3 | 11/01/2018 | 10/12/2025 | D | NMI | NE |
| Method Code: 10053200 Method Ref: EPA 300.0 | | | Revision: 2.1 | | Date: 1993 | |
| 1575 | CHLORIDE | 10/13/2008 | 10/12/2025 | D | NMI | NE |
| 1730 | FLUORIDE | 10/13/2008 | 10/12/2025 | D | NMI | NE |
| 1810 | NITRATE AS N | 10/13/2008 | 10/12/2025 | D | NMI | NE |
| 1840 | NITRITE AS N | 10/13/2008 | 10/12/2025 | D | NMI | NE |
| 1870 | ORTHOPHOSPHATE AS P | 10/13/2008 | 10/12/2025 | D | NMI | NE |
| 2000 | SULFATE | 01/16/2009 | 10/12/2025 | D | NMI | NE |
| Method Code: 20003207 Method Ref: SM 2330 B | | | Revision: 18th ED | | Date: 1992 | |
| 1615 | CORROSIVITY | 10/13/2008 | 10/12/2025 | D | NMI | NE |
| Method Code: 20039309 Method Ref: SM 2120 B-2001 | | | Revision: | | Date: 2001 | |
| 1605 | COLOR | 08/19/2021 | 10/12/2025 | D | NMI | NE |
| Method Code: 20043805 Method Ref: SM 2150 B-1997 | | | Revision: | | Date: 1997 | |
| 1855 | ODOR | 07/05/2017 | 10/12/2025 | D | NMI | NE |
| Method Code: 20050208 Method Ref: SM 2540 C | | | Revision: 21st ED | | Date: 1997 | |
| 1955 | RESIDUE-FILTERABLE (TDS) | 08/19/2021 | 10/12/2025 | D | NMI | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| Method Code: 10082801 | Method Ref: EPA 504.1 | | Revision: 1.1 | Date: 1995 | | |
|-----------------------|---|------------|---------------|------------|-----|----|
| 4570 | 1,2-DIBROMO-3-CHLOROPROPANE (DBCP) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4585 | 1,2-DIBROMOETHANE (EDB, ETHYLENE DIBROMIDE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| Method Code: 10088570 | Method Ref: EPA 522 | | Revision: 1 | Date: 2008 | | |
| 4735 | 1,4-DIOXANE (1 4-DIETHYLENEOXIDE) | 05/04/2021 | 10/12/2025 | D | VOC | NE |
| Method Code: 10088809 | Method Ref: EPA 524.2 | | Revision: 4.1 | Date: 1995 | | |
| 5105 | 1,1,1,2-TETRACHLOROETHANE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5160 | 1,1,1-TRICHLOROETHANE | 07/21/2015 | 10/12/2025 | D | VOC | NE |
| 5110 | 1,1,2,2-TETRACHLOROETHANE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5165 | 1,1,2-TRICHLOROETHANE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4630 | 1,1-DICHLOROETHANE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4640 | 1,1-DICHLOROETHYLENE | 07/27/2015 | 10/12/2025 | D | VOC | NE |
| 4670 | 1,1-DICHLOROPROPENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5150 | 1,2,3-TRICHLOROBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5180 | 1,2,3-TRICHLOROPROPANE | 07/05/2017 | 10/12/2025 | D | VOC | NE |
| 5155 | 1,2,4-TRICHLOROBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5210 | 1,2,4-TRIMETHYLBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4610 | 1,2-DICHLOROBENZENE (O-DICHLOROBENZENE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4635 | 1,2-DICHLOROETHANE (ETHYLENE DICHLORIDE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4655 | 1,2-DICHLOROPROPANE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5215 | 1,3,5-TRIMETHYLBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4615 | 1,3-DICHLOROBENZENE (M-DICHLOROBENZENE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4660 | 1,3-DICHLOROPROPANE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4620 | 1,4-DICHLOROBENZENE (P-DICHLOROBENZENE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4665 | 2 2-DICHLOROPROPANE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4535 | 2-CHLOROTOLUENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4540 | 4-CHLOROTOLUENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4910 | 4-ISOPROPYLTOLUENE (P-CYMENE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4375 | BENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4385 | BROMOBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4390 | BROMOCHLOROMETHANE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4395 | BROMODICHLOROMETHANE | 07/05/2017 | 10/12/2025 | D | VOC | NE |
| 4400 | BROMOFORM | 07/05/2017 | 10/12/2025 | D | VOC | NE |
| 4455 | CARBON TETRACHLORIDE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4475 | CHLOROBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4575 | CHLORODIBROMOMETHANE | 07/05/2017 | 10/12/2025 | D | VOC | NE |
| 4485 | CHLOROETHANE (ETHYL CHLORIDE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |


This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| | | | | | | |
|---|---|------------|--------------------|---|-------------------|----|
| 4505 | CHLOROFORM | 07/05/2017 | 10/12/2025 | D | VOC | NE |
| 4645 | CIS-1,2-DICHLOROETHYLENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4680 | CIS-1,3-DICHLOROPROPENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4595 | DIBROMOMETHANE (METHYLENE BROMIDE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4625 | DICHLORODIFLUOROMETHANE (FREON-12) | 01/27/2016 | 10/12/2025 | D | VOC | NE |
| 4765 | ETHYLBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4835 | HEXACHLOROBUTADIENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4900 | ISOPROPYLBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4950 | METHYL BROMIDE (BROMOMETHANE) | 08/13/2015 | 10/12/2025 | D | VOC | NE |
| 4960 | METHYL CHLORIDE (CHLOROMETHANE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5000 | METHYL TERT-BUTYL ETHER (MTBE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4975 | METHYLENE CHLORIDE (DICHLOROMETHANE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4435 | N-BUTYLBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5090 | N-PROPYLBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5005 | NAPHTHALENE | 03/05/2012 | 10/12/2025 | D | VOC | NE |
| 4440 | SEC-BUTYLBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5100 | STYRENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4445 | TERT-BUTYLBENZENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5115 | TETRACHLOROETHYLENE (PERCHLOROETHYLENE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5140 | TOLUENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5205 | TOTAL TRIHALOMETHANES (TTHMS) | 07/05/2017 | 10/12/2025 | D | VOC | NE |
| 4700 | TRANS-1,2-DICHLOROETHYLENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 4685 | TRANS-1,3-DICHLOROPROPYLENE | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5170 | TRICHLOROETHENE (TRICHLOROETHYLENE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5175 | TRICHLOROFLUOROMETHANE (FLUOROTRICHLOROMETHANE, FREON 11) | 07/05/2017 | 10/12/2025 | D | VOC | NE |
| 5235 | VINYL CHLORIDE (CHLOROETHENE) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| 5260 | XYLENE (TOTAL) | 10/13/2008 | 10/12/2025 | D | VOC | NE |
| Method Code: 10088503 Method Ref: EPA 515.4 | | | Revision: 1 | | Date: 2000 | |
| 6605 | PENTACHLOROPHENOL | 10/13/2008 | 10/12/2025 | D | SBN | NE |
| Method Code: 10090003 Method Ref: EPA 525.2 | | | Revision: 2 | | Date: 1995 | |
| 5580 | BENZO(A)PYRENE | 10/13/2008 | 10/12/2025 | D | SBN | NE |
| 6062 | BIS (2-ETHYLHEXYL) ADIPATE | 10/13/2008 | 10/12/2025 | D | SBN | NE |
| 6065 | DI(2-ETHYLHEXYL) PHTHALATE (BIS(2-ETHYLHEXYL)PHTHALATE, DEHP) | 10/13/2008 | 10/12/2025 | D | SBN | NE |
| 6275 | HEXACHLOROBENZENE | 10/13/2008 | 10/12/2025 | D | SBN | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



ENDYNE INC (#2021)
160 JAMES BROWN DR

WILLISTON VT 05495
802-879-4333

Lab ID: 2021



| Method Code: | Method Ref: | | Revision: | Date: | | |
|-----------------|--|------------|------------------|-------------------|-----|----|
| 10088503 | EPA 515.4 | | 1 | 2000 | | |
| 8545 | 2,4-D | 10/13/2008 | 10/12/2025 | D | SHE | NE |
| 8555 | DALAPON | 10/13/2008 | 10/12/2025 | D | SHE | NE |
| 8595 | DICAMBA | 10/13/2008 | 10/12/2025 | D | SHE | NE |
| 8620 | DINOSEB (2-SEC-BUTYL-4,6-DINITROPHENOL DNBP) | 10/13/2008 | 10/12/2025 | D | SHE | NE |
| 8645 | PICLORAM | 10/13/2008 | 10/12/2025 | D | SHE | NE |
| 8650 | SILVEX (2,4,5-TP) | 10/13/2008 | 10/12/2025 | D | SHE | NE |
| 10095804 | EPA 552.2 | | 1 | 1995 | | |
| 9312 | BROMOACETIC ACID | 10/13/2008 | 10/12/2025 | D | SNO | NE |
| 9336 | CHLOROACETIC ACID | 10/13/2008 | 10/12/2025 | D | SNO | NE |
| 9357 | DIBROMOACETIC ACID | 10/13/2008 | 10/12/2025 | D | SNO | NE |
| 9360 | DICHLOROACETIC ACID | 10/13/2008 | 10/12/2025 | D | SNO | NE |
| 9642 | TRICHLOROACETIC ACID (TCAA) | 10/13/2008 | 10/12/2025 | D | SNO | NE |
| 10083406 | EPA 505 | | 2.1 | 1995 | | |
| 0129NH | PCBS AS AROCLORS (SCREEN) | 10/13/2008 | 10/12/2025 | D | SPC | NE |
| 10083406 | EPA 505 | | 2.1 | 1995 | | |
| 7025 | ALDRIN | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7250 | CHLORDANE (TECH.) | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7470 | DIELDRIN | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7540 | ENDRIN | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7120 | GAMMA-BHC (LINDANE, GAMMA-HEXACHLOROCYCLOHEXANE) | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7685 | HEPTACHLOR | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7690 | HEPTACHLOR EPOXIDE | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7810 | METHOXYCHLOR | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 8250 | TOXAPHENE (CHLORINATED CAMPHENE) | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 10090003 | EPA 525.2 | | 2 | 1995 | | |
| 7005 | ALACHLOR | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7065 | ATRAZINE | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7160 | BUTACHLOR | 10/18/2019 | 10/12/2025 | D | SPE | NE |
| 6285 | HEXACHLOROCYCLOPENTADIENE | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7835 | METOLACHLOR | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 7845 | METRIBUZIN | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 8045 | PROPACHLOR | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 8125 | SIMAZINE | 10/13/2008 | 10/12/2025 | D | SPE | NE |
| 20211614 | SM 9223 B (COLILERT QUANTI-TRAY)-2004 | | Revision: | Date: 2004 | | |
| 2525 | ESCHERICHIA COLI | 11/01/2018 | 10/12/2025 | N | MIC | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| Method Code: 20213610 | Method Ref: SM 9223 B (COLILERT-18 QUANTI-TRAY)-2004 | Revision: | Date: 2004 | | | |
|-----------------------|--|---------------|------------|---|-----|----|
| 2525 | ESCHERICHIA COLI | 11/01/2018 | 10/12/2025 | N | MIC | NE |
| Method Code: 10013806 | Method Ref: EPA 200.7 | Revision: 4.4 | Date: 1994 | | | |
| 1000 | ALUMINUM | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1015 | BARIUM | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1020 | BERYLLIUM | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1025 | BORON | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1030 | CADMIUM | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1035 | CALCIUM | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1040 | CHROMIUM | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1050 | COBALT | 03/05/2012 | 10/12/2025 | N | MET | NE |
| 1055 | COPPER | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1070 | IRON | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1085 | MAGNESIUM | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1090 | MANGANESE | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1100 | MOLYBDENUM | 07/05/2012 | 10/12/2025 | N | MET | NE |
| 1105 | NICKEL | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1125 | POTASSIUM | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1150 | SILVER | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1155 | SODIUM | 10/13/2008 | 10/12/2025 | N | MET | NE |
| 1185 | VANADIUM | 03/05/2012 | 10/12/2025 | N | MET | NE |
| 1190 | ZINC | 10/13/2008 | 10/12/2025 | N | MET | NE |
| Method Code: 10014605 | Method Ref: EPA 200.8 | Revision: 5.4 | Date: 1994 | | | |
| 1000 | ALUMINUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1005 | ANTIMONY | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1010 | ARSENIC | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1015 | BARIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1020 | BERYLLIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1030 | CADMIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1040 | CHROMIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1050 | COBALT | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1055 | COPPER | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1075 | LEAD | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1090 | MANGANESE | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1100 | MOLYBDENUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1105 | NICKEL | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1140 | SELENIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| | | | | | | |
|---|------------|------------|---------------------------|---|-------------------|----|
| 1150 | SILVER | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1165 | THALLIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1185 | VANADIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1190 | ZINC | 04/27/2018 | 10/12/2025 | N | MET | NE |
| Method Code: 10036609 Method Ref: EPA 245.1 | | | Revision: 3 | | Date: 1994 | |
| 1095 | MERCURY | 10/13/2008 | 10/12/2025 | N | MET | NE |
| Method Code: 10155803 Method Ref: SW-846 6010C | | | Revision: 3 | | Date: 2000 | |
| 1000 | ALUMINUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1015 | BARIUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1020 | BERYLLIUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1025 | BORON | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1030 | CADMIUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1035 | CALCIUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1040 | CHROMIUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1050 | COBALT | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1055 | COPPER | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1070 | IRON | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1075 | LEAD | 07/05/2017 | 10/12/2025 | N | MET | NE |
| 1085 | MAGNESIUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1090 | MANGANESE | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1100 | MOLYBDENUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1105 | NICKEL | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1125 | POTASSIUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1150 | SILVER | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1155 | SODIUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1185 | VANADIUM | 03/01/2016 | 10/12/2025 | N | MET | NE |
| 1190 | ZINC | 03/01/2016 | 10/12/2025 | N | MET | NE |
| Method Code: 10156420 Method Ref: SW-846 6020B | | | Revision: UPDATE V | | Date: 2014 | |
| 1000 | ALUMINUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1005 | ANTIMONY | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1010 | ARSENIC | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1015 | BARIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1020 | BERYLLIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1030 | CADMIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1040 | CHROMIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1050 | COBALT | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1055 | COPPER | 04/27/2018 | 10/12/2025 | N | MET | NE |


This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



ENDYNE INC (#2021)
160 JAMES BROWN DR

WILLISTON VT 05495
802-879-4333
Lab ID: 2021



| | | | | | | |
|---|---------------------------|------------|----------------------------|---|-------------------|----|
| 1075 | LEAD | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1090 | MANGANESE | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1100 | MOLYBDENUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1105 | NICKEL | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1140 | SELENIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1150 | SILVER | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1165 | THALLIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1185 | VANADIUM | 04/27/2018 | 10/12/2025 | N | MET | NE |
| 1190 | ZINC | 04/27/2018 | 10/12/2025 | N | MET | NE |
| Method Code: 10162400 Method Ref: SW-846 7196A | | | Revision: UPDATE I | | Date: 1992 | |
| 1045 | CHROMIUM (VI) | 07/05/2017 | 10/12/2025 | N | MET | NE |
| Method Code: 10165807 Method Ref: SW-846 7470A | | | Revision: UPDATE II | | Date: 1994 | |
| 1095 | MERCURY | 10/13/2009 | 10/12/2025 | N | MET | NE |
| Method Code: 10013806 Method Ref: EPA 200.7 | | | Revision: 4.4 | | Date: 1994 | |
| 1550 | CALCIUM HARDNESS AS CaCO3 | 11/01/2018 | 10/12/2025 | N | NMI | NE |
| 1755 | TOTAL HARDNESS AS CaCO3 | 05/05/2016 | 10/12/2025 | N | NMI | NE |
| 1910 | TOTAL PHOSPHORUS | 04/27/2018 | 10/12/2025 | N | NMI | NE |
| Method Code: 10053200 Method Ref: EPA 300.0 | | | Revision: 2.1 | | Date: 1993 | |
| 1540 | BROMIDE | 07/05/2017 | 10/12/2025 | N | NMI | NE |
| 1575 | CHLORIDE | 10/13/2008 | 10/12/2025 | N | NMI | NE |
| 1730 | FLUORIDE | 10/13/2008 | 10/12/2025 | N | NMI | NE |
| 1810 | NITRATE AS N | 10/13/2008 | 10/12/2025 | N | NMI | NE |
| 1840 | NITRITE AS N | 10/13/2008 | 10/12/2025 | N | NMI | NE |
| 2000 | SULFATE | 10/13/2008 | 10/12/2025 | N | NMI | NE |
| Method Code: 10127807 Method Ref: EPA 1664A | | | Revision: | | Date: 1999 | |
| 1860 | OIL & GREASE | 10/13/2008 | 10/12/2025 | N | NMI | NE |
| Method Code: 10199607 Method Ref: SW-846 9056A | | | Revision: UPDATE IV | | Date: 2007 | |
| 1540 | BROMIDE | 03/05/2012 | 10/12/2025 | N | NMI | NE |
| 1575 | CHLORIDE | 03/05/2012 | 10/12/2025 | N | NMI | NE |
| 1730 | FLUORIDE | 03/05/2012 | 10/12/2025 | N | NMI | NE |
| 1810 | NITRATE AS N | 03/05/2012 | 10/12/2025 | N | NMI | NE |
| 1840 | NITRITE AS N | 03/05/2012 | 10/12/2025 | N | NMI | NE |
| 2000 | SULFATE | 03/05/2012 | 10/12/2025 | N | NMI | NE |
| Method Code: 20049438 Method Ref: SM 2540 B-2015 | | | Revision: | | Date: 2015 | |
| 1950 | RESIDUE-TOTAL (TS) | 08/29/2022 | 10/12/2025 | N | NMI | NE |
| Method Code: 20050435 Method Ref: SM 2540 C-2015 | | | Revision: | | Date: 2015 | |
| 1955 | RESIDUE-FILTERABLE (TDS) | 08/29/2022 | 10/12/2025 | N | NMI | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| Method Code: | Method Ref: | Revision: | Date: |
|-----------------|--|------------|---------------------|
| 20051223 | SM 2540 D-2015 | | 2015 |
| 1960 | RESIDUE-NONFILTERABLE (TSS) | 08/29/2022 | 10/12/2025 N NMI NE |
| 20135266 | SM 5210 B-2011 | | 2011 |
| 1530 | BIOCHEMICAL OXYGEN DEMAND (BOD) | 05/06/2016 | 10/12/2025 N NMI NE |
| 1555 | CARBONACEOUS BOD (CBOD) | 05/06/2016 | 10/12/2025 N NMI NE |
| 10133207 | SW-846 3005A | | UPDATE I |
| 1438 | PRECONCENTRATION UNDER ACID | 07/05/2017 | 10/12/2025 N PRE NE |
| 10133605 | SW-846 3010A | | UPDATE I |
| 1420 | HOT PLATE ACID DIGESTION (HNO3 + HCL) | 05/05/2016 | 10/12/2025 N PRE NE |
| 10134006 | SW-846 3015A | | UPDATE IV |
| 1428 | MICROWAVE EXTRACTION | 03/01/2016 | 10/12/2025 N PRE NE |
| 10134404 | SW-846 3020A | | UPDATE 1 |
| 1422 | HOT PLATE ACID DIGESTION (HNO3 ONLY) | 07/30/2019 | 10/12/2025 N PRE NE |
| 10138202 | SW-846 3510C | | UPDATE III |
| 1444 | SEPERATORY FUNNEL LIQUID-LIQUID EXTRACTION | 10/13/2008 | 10/12/2025 N PRE NE |
| 10284603 | SW-846 5030C | | 2003 |
| 1406 | AQUEOUS-PHASE PURGE & TRAP | 11/25/2013 | 10/12/2025 N PRE NE |
| 10186002 | SW-846 8270D | | UPDATE IV |
| 5155 | 1,2,4-TRICHLOROBENZENE | 11/25/2013 | 10/12/2025 N VOC NE |
| 4610 | 1,2-DICHLOROBENZENE (O-DICHLOROBENZENE) | 11/25/2013 | 10/12/2025 N VOC NE |
| 4615 | 1,3-DICHLOROBENZENE (M-DICHLOROBENZNE) | 11/25/2013 | 10/12/2025 N VOC NE |
| 4620 | 1,4-DICHLOROBENZENE (P-DICHLOROBENZENE) | 11/25/2013 | 10/12/2025 N VOC NE |
| 4835 | HEXACHLOROBUTADIENE | 11/25/2013 | 10/12/2025 N VOC NE |
| 4840 | HEXACHLOROETHANE | 11/25/2013 | 10/12/2025 N VOC NE |
| 5005 | NAPHTHALENE | 11/25/2013 | 10/12/2025 N VOC NE |
| 5015 | NITROBENZENE | 11/25/2013 | 10/12/2025 N VOC NE |
| 5095 | PYRIDINE | 11/25/2013 | 10/12/2025 N VOC NE |
| 10298121 | EPA 624.1 | | 2016 |
| 5160 | 1,1,1-TRICHLOROETHANE | 04/27/2018 | 10/12/2025 N VOC NE |
| 5110 | 1,1,2,2-TETRACHLOROETHANE | 04/27/2018 | 10/12/2025 N VOC NE |
| 5165 | 1,1,2-TRICHLOROETHANE | 04/27/2018 | 10/12/2025 N VOC NE |
| 4630 | 1,1-DICHLOROETHANE | 04/27/2018 | 10/12/2025 N VOC NE |
| 4640 | 1,1-DICHLOROETHYLENE | 04/27/2018 | 10/12/2025 N VOC NE |
| 4610 | 1,2-DICHLOROBENZENE (O-DICHLOROBENZENE) | 04/27/2018 | 10/12/2025 N VOC NE |
| 4635 | 1,2-DICHLOROETHANE (ETHYLENE DICHLORIDE) | 04/27/2018 | 10/12/2025 N VOC NE |
| 4655 | 1,2-DICHLOROPROPANE | 04/27/2018 | 10/12/2025 N VOC NE |
| 4615 | 1,3-DICHLOROBENZENE (M-DICHLOROBENZNE) | 04/27/2018 | 10/12/2025 N VOC NE |
| 4620 | 1,4-DICHLOROBENZENE (P-DICHLOROBENZENE) | 04/27/2018 | 10/12/2025 N VOC NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| | | | | | | |
|---|--|------------|------------------|---|-------------------|----|
| 4500 | 2-CHLOROETHYLVINYL ETHER | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4325 | ACROLEIN (PROPENAL) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4340 | ACRYLONITRILE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4375 | BENZENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4395 | BROMODICHLOROMETHANE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4400 | BROMOFORM | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4455 | CARBON TETRACHLORIDE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4475 | CHLOROBENZENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4575 | CHLORODIBROMOMETHANE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4485 | CHLOROETHANE (ETHYL CHLORIDE) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4505 | CHLOROFORM | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4680 | CIS-1,3-DICHLOROPROPENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4625 | DICHLORODIFLUOROMETHANE (FREON-12) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4765 | ETHYLBENZENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4950 | METHYL BROMIDE (BROMOMETHANE) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4960 | METHYL CHLORIDE (CHLOROMETHANE) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4975 | METHYLENE CHLORIDE (DICHLOROMETHANE) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 5115 | TETRACHLOROETHYLENE (PERCHLOROETHYLENE) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 5140 | TOLUENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4700 | TRANS-1,2-DICHLOROETHYLENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4685 | TRANS-1,3-DICHLOROPROPYLENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 5170 | TRICHLOROETHENE (TRICHLOROETHYLENE) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 5175 | TRICHLOROFLUOROMETHANE (FLUOROTRICHOROMETHANE, FREON 11) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 5235 | VINYL CHLORIDE (CHLOROETHENE) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 5260 | XYLENE (TOTAL) | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| Method Code: 10300024 Method Ref: EPA 625.1 | | | Revision: | | Date: 2016 | |
| 5155 | 1,2,4-TRICHLOROBENZENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4835 | HEXACHLOROBUTADIENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 4840 | HEXACHLOROETHANE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 5005 | NAPHTHALENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| 5015 | NITROBENZENE | 04/27/2018 | 10/12/2025 | N | VOC | NE |
| Method Code: 10305609 Method Ref: SW-846 8015D | | | Revision: | | Date: 2003 | |
| 4785 | ETHYLENE GLYCOL | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| Method Code: 10307003 Method Ref: SW-846 8260C | | | Revision: | | Date: 2006 | |
| 5105 | 1,1,1,2-TETRACHLOROETHANE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 5160 | 1,1,1-TRICHLOROETHANE | 11/25/2013 | 10/12/2025 | N | VOC | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



ENDYNE INC (#2021)
160 JAMES BROWN DR

WILLISTON VT 05495
802-879-4333

Lab ID: 2021



| | | | | | | |
|------|---|------------|------------|---|-----|----|
| 5110 | 1,1,2,2-TETRACHLOROETHANE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5165 | 1,1,2-TRICHLOROETHANE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4630 | 1,1-DICHLOROETHANE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4640 | 1,1-DICHLOROETHYLENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5150 | 1,2,3-TRICHLOROBENZENE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 5180 | 1,2,3-TRICHLOROPROPANE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 5155 | 1,2,4-TRICHLOROBENZENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5210 | 1,2,4-TRIMETHYLBENZENE | 06/29/2015 | 10/12/2025 | N | VOC | NE |
| 4570 | 1,2-DIBROMO-3-CHLOROPROPANE (DBCP) | 06/29/2015 | 10/12/2025 | N | VOC | NE |
| 4585 | 1,2-DIBROMOETHANE (EDB, ETHYLENE DIBROMIDE) | 06/29/2015 | 10/12/2025 | N | VOC | NE |
| 4610 | 1,2-DICHLOROBENZENE (O-DICHLOROBENZENE) | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4635 | 1,2-DICHLOROETHANE (ETHYLENE DICHLORIDE) | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4655 | 1,2-DICHLOROPROPANE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5215 | 1,3,5-TRIMETHYLBENZENE | 07/30/2019 | 10/12/2025 | N | VOC | NE |
| 4615 | 1,3-DICHLOROBENZENE (M-DICHLOROBENZENE) | 06/29/2015 | 10/12/2025 | N | VOC | NE |
| 4620 | 1,4-DICHLOROBENZENE (P-DICHLOROBENZENE) | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4410 | 2-BUTANONE (METHYL ETHYL KETONE, MEK) | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4500 | 2-CHLOROETHYL VINYL ETHER | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4535 | 2-CHLOROTOLUENE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4860 | 2-HEXANONE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4540 | 4-CHLOROTOLUENE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4910 | 4-ISOPROPYLTOLUENE (P-CYMENE) | 06/29/2015 | 10/12/2025 | N | VOC | NE |
| 4995 | 4-METHYL-2-PENTANONE (MIBK) | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4315 | ACETONE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4325 | ACROLEIN (PROPENAL) | 01/25/2016 | 10/12/2025 | N | VOC | NE |
| 4340 | ACRYLONITRILE | 01/25/2016 | 10/12/2025 | N | VOC | NE |
| 4375 | BENZENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4385 | BROMOBENZENE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4390 | BROMOCHLOROMETHANE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4395 | BROMODICHLOROMETHANE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4400 | BROMOFORM | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4450 | CARBON DISULFIDE | 06/29/2015 | 10/12/2025 | N | VOC | NE |
| 4455 | CARBON TETRACHLORIDE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4475 | CHLOROBENZENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4575 | CHLORODIBROMOMETHANE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4485 | CHLOROETHANE (ETHYL CHLORIDE) | 11/25/2013 | 10/12/2025 | N | VOC | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



ENDYNE INC (#2021)
160 JAMES BROWN DR

WILLISTON VT 05495
802-879-4333

Lab ID: 2021



| | | | | | | |
|------|---|------------|------------|---|-----|----|
| 4505 | CHLOROFORM | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4645 | CIS-1,2-DICHLOROETHYLENE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4680 | CIS-1,3-DICHLOROPROPENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4595 | DIBROMOMETHANE (METHYLENE BROMIDE) | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4625 | DICHLORODIFLUOROMETHANE (FREON-12) | 06/29/2015 | 10/12/2025 | N | VOC | NE |
| 4765 | ETHYLBENZENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4835 | HEXACHLOROBUTADIENE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4870 | IODOMETHANE (METHYL IODIDE) | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4900 | ISOPROPYLBENZENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4950 | METHYL BROMIDE (BROMOMETHANE) | 06/29/2015 | 10/12/2025 | N | VOC | NE |
| 4960 | METHYL CHLORIDE (CHLOROMETHANE) | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5000 | METHYL TERT-BUTYL ETHER (MTBE) | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4975 | METHYLENE CHLORIDE (DICHLOROMETHANE) | 07/30/2019 | 10/12/2025 | N | VOC | NE |
| 4435 | N-BUTYLBENZENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5090 | N-PROPYLBENZENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5005 | NAPHTHALENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4440 | SEC-BUTYLBENZENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5100 | STYRENE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 4445 | TERT-BUTYLBENZENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5115 | TETRACHLOROETHYLENE (PERCHLOROETHYLENE) | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5140 | TOLUENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4700 | TRANS-1,2-DICHLOROETHYLENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4685 | TRANS-1,3-DICHLOROPROPYLENE | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 4605 | TRANS-1,4-DICHLORO-2-BUTENE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 5170 | TRICHLOROETHENE (TRICHLOROETHYLENE) | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5175 | TRICHLOROFLUOROMETHANE (FLUOROTRICHLOROMETHANE, FREON 11) | 06/29/2015 | 10/12/2025 | N | VOC | NE |
| 5225 | VINYL ACETATE | 07/05/2017 | 10/12/2025 | N | VOC | NE |
| 5235 | VINYL CHLORIDE (CHLOROETHENE) | 11/25/2013 | 10/12/2025 | N | VOC | NE |
| 5260 | XYLENE (TOTAL) | 11/25/2013 | 10/12/2025 | N | VOC | NE |

Method Code: 10186002

Method Ref: SW-846 8270D

Revision: UPDATE IV

Date: 2007

| | | | | | | |
|------|--|------------|------------|---|-----|----|
| 4659 | 2,2'-OXYBIS(1-CHLOROPROPANE), BIS(2-CHLORO-1-METHYLETHYL)ETHER | 01/11/2016 | 10/12/2025 | N | SBN | NE |
| 6835 | 2,4,5-TRICHLOROPHENOL | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6840 | 2,4,6-TRICHLOROPHENOL | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6000 | 2,4-DICHLOROPHENOL | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6130 | 2,4-DIMETHYLPHENOL | 11/25/2013 | 10/12/2025 | N | SBN | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



ENDYNE INC (#2021)
160 JAMES BROWN DR

WILLISTON VT 05495
802-879-4333

Lab ID: 2021



| | | | | | | |
|------|---|------------|------------|---|-----|----|
| 6175 | 2,4-DINITROPHENOL | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6185 | 2,4-DINITROTOLUENE (2,4-DNT) | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6190 | 2,6-DINITROTOLUENE (2,6-DNT) | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5795 | 2-CHLORONAPHTHALENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5800 | 2-CHLOROPHENOL | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6360 | 2-METHYL-4,6-DINITROPHENOL (4,6-DINITRO-2-METHYLPHENOL) | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6385 | 2-METHYLNAPHTHALENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6400 | 2-METHYLPHENOL (O-CRESOL) | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6490 | 2-NITROPHENOL | 06/29/2015 | 10/12/2025 | N | SBN | NE |
| 5945 | 3,3'-DICHLORO BENZIDINE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6405 | 3-METHYLPHENOL (M-CRESOL) | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5660 | 4-BROMOPHENYL PHENYL ETHER (BDE-3) | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5700 | 4-CHLORO-3-METHYLPHENOL | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5825 | 4-CHLOROPHENYL PHENYLETHER | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6410 | 4-METHYLPHENOL (P-CRESOL) | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6500 | 4-NITROPHENOL | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5500 | ACENAPHTHENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5505 | ACENAPHTHYLENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5555 | ANTHRACENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5595 | BENZIDINE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5575 | BENZO(A)ANTHRACENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5580 | BENZO(A)PYRENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5585 | BENZO(B)FLUORANTHENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5590 | BENZO(G,H,I)PERYLENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5600 | BENZO(K)FLUORANTHENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5760 | BIS(2-CHLOROETHOXY)METHANE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5765 | BIS(2-CHLOROETHYL) ETHER | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5670 | BUTYL BENZYL PHTHALATE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5855 | CHRYSENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6065 | DI(2-ETHYLHEXYL) PHTHALATE (BIS(2-ETHYLHEXYL)PHTHALATE, DEHP) | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5925 | DI-N-BUTYL PHTHALATE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6200 | DI-N-OCTYL PHTHALATE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5895 | DIBENZO(A,H)ANTHRACENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6070 | DIETHYL PHTHALATE | 11/25/2013 | 10/12/2025 | N | SBN | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| | | | | | | |
|--|--|------------|------------------|-------------------|-----|----|
| 6135 | DIMETHYL PHTHALATE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6265 | FLUORANTHENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6270 | FLUORENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6275 | HEXACHLOROBENZENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6315 | INDENO(1,2,3-CD)PYRENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6320 | ISOPHORONE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6545 | N-NITROSODI-N-PROPYLAMINE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6530 | N-NITROSODIMETHYLAMINE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6535 | N-NITROSODIPHENYLAMINE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6605 | PENTACHLOROPHENOL | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6615 | PHENANTHRENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6625 | PHENOL | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 6665 | PYRENE | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| 5862 | TOTAL CRESOLS | 11/25/2013 | 10/12/2025 | N | SBN | NE |
| Method Code: 10300024 Method Ref: EPA 625.1 | | | Revision: | Date: 2016 | | |
| 4659 | 2,2'-OXYBIS(1-CHLOROPROPANE), BIS(2-CHLORO-1-METHYLETHYL)ETHER | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6835 | 2,4,5-TRICHLOROPHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6840 | 2,4,6-TRICHLOROPHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6000 | 2,4-DICHLOROPHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6130 | 2,4-DIMETHYLPHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6175 | 2,4-DINITROPHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6185 | 2,4-DINITROTOLUENE (2,4-DNT) | 10/18/2019 | 10/12/2025 | N | SBN | NE |
| 6190 | 2,6-DINITROTOLUENE (2,6-DNT) | 10/18/2019 | 10/12/2025 | N | SBN | NE |
| 5795 | 2-CHLORONAPHTHALENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5800 | 2-CHLOROPHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6360 | 2-METHYL-4,6-DINITROPHENOL (4,6-DINITRO-2-METHYLPHENOL) | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6490 | 2-NITROPHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5945 | 3,3'-DICHLORO BENZIDINE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5660 | 4-BROMOPHENYL PHENYL ETHER (BDE-3) | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5700 | 4-CHLORO-3-METHYLPHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5825 | 4-CHLOROPHENYL PHENYLETHER | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6500 | 4-NITROPHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5500 | ACENAPHTHENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5505 | ACENAPHTHYLENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5555 | ANTHRACENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



ENDYNE INC (#2021)
160 JAMES BROWN DR

WILLISTON VT 05495
802-879-4333

Lab ID: 2021



| | | | | | | |
|------|---|------------|------------|---|-----|----|
| 5595 | BENZIDINE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5575 | BENZO(A)ANTHRACENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5580 | BENZO(A)PYRENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5585 | BENZO(B)FLUORANTHENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5590 | BENZO(G,H,I)PERYLENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5600 | BENZO(K)FLUORANTHENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5760 | BIS(2-CHLOROETHOXY)METHANE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5765 | BIS(2-CHLOROETHYL) ETHER | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5670 | BUTYL BENZYL PHTHALATE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5855 | CHRYSENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6065 | DI(2-ETHYLHEXYL) PHTHALATE (BIS(2-ETHYLHEXYL)PHTHALATE, DEHP) | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5925 | DI-N-BUTYL PHTHALATE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6200 | DI-N-OCTYL PHTHALATE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 5895 | DIBENZO(A,H)ANTHRACENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6070 | DIETHYL PHTHALATE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6135 | DIMETHYL PHTHALATE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6265 | FLUORANTHENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6270 | FLUORENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6275 | HEXACHLOROBENZENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6315 | INDENO(1,2,3-CD)PYRENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6320 | ISOPHORONE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6545 | N-NITROSODI-N-PROPYLAMINE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6530 | N-NITROSODIMETHYLAMINE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6535 | N-NITROSODIPHENYLAMINE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6605 | PENTACHLOROPHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6615 | PHENANTHRENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6625 | PHENOL | 04/27/2018 | 10/12/2025 | N | SBN | NE |
| 6665 | PYRENE | 04/27/2018 | 10/12/2025 | N | SBN | NE |

Method Code: 10183207 Method Ref: SW-846 8151A

| | | | | | | |
|------|-------------------|------------|------------|---|-----|----|
| 8545 | 2,4-D | 07/05/2017 | 10/12/2025 | N | SHE | NE |
| 8650 | SILVEX (2,4,5-TP) | 07/05/2017 | 10/12/2025 | N | SHE | NE |

Revision: UPDATE III Date: 1996

Method Code: 20155026 Method Ref: SM 6640 B-2006

| | | | | | | |
|------|-------------------|------------|------------|---|-----|----|
| 8545 | 2,4-D | 08/19/2021 | 10/12/2025 | N | SHE | NE |
| 8650 | SILVEX (2,4,5-TP) | 08/19/2021 | 10/12/2025 | N | SHE | NE |

Revision: Date: 2006

Method Code: 10305609 Method Ref: SW-846 8015D

| | | | | | | |
|------|-----------------------------|------------|------------|---|-----|----|
| 9369 | DIESEL RANGE ORGANICS (DRO) | 07/05/2017 | 10/12/2025 | N | SNO | NE |
|------|-----------------------------|------------|------------|---|-----|----|

Revision: Date: 2003


This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| Method Code: | Method Ref: | Revision: | Date: |
|-----------------|--|-----------------------|-------------|
| 10179201 | SW-846 8082A | | 2000 |
| 8880 | AROCLOR-1016 (PCB-1016) | 11/25/2013 10/12/2025 | N SPC NE |
| 8885 | AROCLOR-1221 (PCB-1221) | 11/25/2013 10/12/2025 | N SPC NE |
| 8890 | AROCLOR-1232 (PCB-1232) | 11/25/2013 10/12/2025 | N SPC NE |
| 8895 | AROCLOR-1242 (PCB-1242) | 11/25/2013 10/12/2025 | N SPC NE |
| 8900 | AROCLOR-1248 (PCB-1248) | 11/25/2013 10/12/2025 | N SPC NE |
| 8905 | AROCLOR-1254 (PCB-1254) | 11/25/2013 10/12/2025 | N SPC NE |
| 8910 | AROCLOR-1260 (PCB-1260) | 11/25/2013 10/12/2025 | N SPC NE |
| 10296614 | EPA 608.3 GC-ECD | | 2016 |
| 8880 | AROCLOR-1016 (PCB-1016) | 04/27/2018 10/12/2025 | N SPC NE |
| 8885 | AROCLOR-1221 (PCB-1221) | 04/27/2018 10/12/2025 | N SPC NE |
| 8890 | AROCLOR-1232 (PCB-1232) | 04/27/2018 10/12/2025 | N SPC NE |
| 8895 | AROCLOR-1242 (PCB-1242) | 04/27/2018 10/12/2025 | N SPC NE |
| 8900 | AROCLOR-1248 (PCB-1248) | 04/27/2018 10/12/2025 | N SPC NE |
| 8905 | AROCLOR-1254 (PCB-1254) | 04/27/2018 10/12/2025 | N SPC NE |
| 8910 | AROCLOR-1260 (PCB-1260) | 04/27/2018 10/12/2025 | N SPC NE |
| 10178811 | SW-846 8081B | | 2007 |
| 7355 | 4,4'-DDD | 08/20/2021 10/12/2025 | N SPE NE |
| 7360 | 4,4'-DDE | 08/20/2021 10/12/2025 | N SPE NE |
| 7365 | 4,4'-DDT | 08/20/2021 10/12/2025 | N SPE NE |
| 7025 | ALDRIN | 08/20/2021 10/12/2025 | N SPE NE |
| 7110 | ALPHA-BHC (ALPHA-HEXACHLOROCYCLOHEXANE) | 08/20/2021 10/12/2025 | N SPE NE |
| 7115 | BETA-BHC (BETA-HEXACHLOROCYCLOHEXANE) | 08/20/2021 10/12/2025 | N SPE NE |
| 7250 | CHLORDANE (TECH.) | 08/20/2021 10/12/2025 | N SPE NE |
| 7105 | DELTA-BHC | 08/20/2021 10/12/2025 | N SPE NE |
| 7470 | DIELDRIN | 08/20/2021 10/12/2025 | N SPE NE |
| 7510 | ENDOSULFAN I | 08/20/2021 10/12/2025 | N SPE NE |
| 7515 | ENDOSULFAN II | 08/20/2021 10/12/2025 | N SPE NE |
| 7520 | ENDOSULFAN SULFATE | 08/20/2021 10/12/2025 | N SPE NE |
| 7540 | ENDRIN | 08/20/2021 10/12/2025 | N SPE NE |
| 7530 | ENDRIN ALDEHYDE | 08/20/2021 10/12/2025 | N SPE NE |
| 7120 | GAMMA-BHC (LINDANE, GAMMA-HEXACHLOROCYCLOHEXANE) | 08/20/2021 10/12/2025 | N SPE NE |
| 7685 | HEPTACHLOR | 08/20/2021 10/12/2025 | N SPE NE |
| 7690 | HEPTACHLOR EPOXIDE | 08/20/2021 10/12/2025 | N SPE NE |
| 7810 | METHOXYCHLOR | 08/20/2021 10/12/2025 | N SPE NE |
| 8250 | TOXAPHENE (CHLORINATED CAMPHENE) | 08/20/2021 10/12/2025 | N SPE NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| Method Code: 10186002 | Method Ref: SW-846 8270D | | Revision: UPDATE IV | Date: 2007 | | |
|-----------------------|--|------------|---------------------|------------|-----|----|
| 6285 | HEXACHLOROCYCLOPENTADIENE | 11/25/2013 | 10/12/2025 | N | SPE | NE |
| Method Code: 10296614 | Method Ref: EPA 608.3 GC-ECD | | Revision: | Date: 2016 | | |
| 7355 | 4,4'-DDD | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7360 | 4,4'-DDE | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7365 | 4,4'-DDT | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7025 | ALDRIN | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7110 | ALPHA-BHC (ALPHA-HEXACHLOROCYCLOHEXANE) | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7115 | BETA-BHC (BETA-HEXACHLOROCYCLOHEXANE) | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7250 | CHLORDANE (TECH.) | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7105 | DELTA-BHC | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7470 | DIELDRIN | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7510 | ENDOSULFAN I | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7515 | ENDOSULFAN II | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7520 | ENDOSULFAN SULFATE | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7540 | ENDRIN | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7530 | ENDRIN ALDEHYDE | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7120 | GAMMA-BHC (LINDANE, GAMMA-HEXACHLOROCYCLOHEXANE) | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7685 | HEPTACHLOR | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7690 | HEPTACHLOR EPOXIDE | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 7810 | METHOXYCHLOR | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| 8250 | TOXAPHENE (CHLORINATED CAMPHENE) | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| Method Code: 10300024 | Method Ref: EPA 625.1 | | Revision: | Date: 2016 | | |
| 6285 | HEXACHLOROCYCLOPENTADIENE | 04/27/2018 | 10/12/2025 | N | SPE | NE |
| Method Code: 10155905 | Method Ref: SW-846 6010C | | Revision: UPDATE IV | Date: 2007 | | |
| 1000 | ALUMINUM | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1005 | ANTIMONY | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1010 | ARSENIC | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1015 | BARIUM | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1020 | BERYLLIUM | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1025 | BORON | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1030 | CADMIUM | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1035 | CALCIUM | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1040 | CHROMIUM | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1050 | COBALT | 07/05/2017 | 10/12/2025 | SC | MET | NE |
| 1055 | COPPER | 11/25/2013 | 10/12/2025 | SC | MET | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| | | | | | | |
|---|--------------|------------|----------------------------|-------------------|-----|----|
| 1070 | IRON | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1075 | LEAD | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1085 | MAGNESIUM | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1090 | MANGANESE | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1100 | MOLYBDENUM | 06/29/2015 | 10/12/2025 | SC | MET | NE |
| 1105 | NICKEL | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1125 | POTASSIUM | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1140 | SELENIUM | 07/05/2017 | 10/12/2025 | SC | MET | NE |
| 1150 | SILVER | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1165 | THALLIUM | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| 1190 | ZINC | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| Method Code: 10156420 Method Ref: SW-846 6020B | | | Revision: UPDATE V | Date: 2014 | | |
| 1000 | ALUMINUM | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1005 | ANTIMONY | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1010 | ARSENIC | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1015 | BARIUM | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1020 | BERYLLIUM | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1030 | CADMIUM | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1040 | CHROMIUM | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1050 | COBALT | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1055 | COPPER | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1075 | LEAD | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1090 | MANGANESE | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1100 | MOLYBDENUM | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1105 | NICKEL | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1140 | SELENIUM | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1165 | THALLIUM | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1185 | VANADIUM | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| 1190 | ZINC | 04/27/2018 | 10/12/2025 | SC | MET | NE |
| Method Code: 10166402 Method Ref: SW-846 7471B | | | Revision: | Date: 1998 | | |
| 1095 | MERCURY | 11/25/2013 | 10/12/2025 | SC | MET | NE |
| Method Code: 10199607 Method Ref: SW-846 9056A | | | Revision: UPDATE IV | Date: 2007 | | |
| 1540 | BROMIDE | 07/05/2017 | 10/12/2025 | SC | NMI | NE |
| 1575 | CHLORIDE | 07/05/2017 | 10/12/2025 | SC | NMI | NE |
| 1730 | FLUORIDE | 07/05/2017 | 10/12/2025 | SC | NMI | NE |
| 1810 | NITRATE AS N | 07/05/2017 | 10/12/2025 | SC | NMI | NE |
| 1835 | NITRITE | 07/05/2017 | 10/12/2025 | SC | NMI | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| | | | | | | |
|------------------------------|---|------------|-----------------------------|----|-------------------|----|
| 2000 | SULFATE | 07/05/2017 | 10/12/2025 | SC | NMI | NE |
| Method Code: 10118806 | Method Ref: SW-846 1311 | | Revision: UPDATE I | | Date: 1992 | |
| 1466 | TOXICITY CHARACTERISTIC LEACHING PROCEDURE (TCLP) | 10/13/2008 | 10/12/2025 | SC | PRE | NE |
| Method Code: 10135601 | Method Ref: SW-846 3050B | | Revision: UPDATE III | | Date: 1996 | |
| 1400 | ACID DIGESTION OF SOLIDS | 10/13/2008 | 10/12/2025 | SC | PRE | NE |
| Method Code: 10136002 | Method Ref: SW-846 3051A | | Revision: UPDATE IV | | Date: 2007 | |
| 1426 | MICROWAVE DIGESTION OF SOLIDS | 03/01/2016 | 10/12/2025 | SC | PRE | NE |
| Method Code: 10141001 | Method Ref: SW-846 3545A | | Revision: UPDATE IV | | Date: 2007 | |
| 1442 | PRESSURIZED FLUID EXTRACTION (PFE) | 11/01/2018 | 10/12/2025 | SC | PRE | NE |
| Method Code: 10142004 | Method Ref: SW-846 3550C | | Revision: UPDATE IV | | Date: 2007 | |
| 1468 | ULTRASONIC EXTRACTION | 05/05/2016 | 10/12/2025 | SC | PRE | NE |
| Method Code: 10284807 | Method Ref: SW-846 5035A | | Revision: | | Date: 2002 | |
| 1450 | SOLID-PHASE PURGE & TRAP | 11/25/2013 | 10/12/2025 | SC | PRE | NE |
| Method Code: 10186002 | Method Ref: SW-846 8270D | | Revision: UPDATE IV | | Date: 2007 | |
| 5155 | 1,2,4-TRICHLOROBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4610 | 1,2-DICHLOROBENZENE (O-DICHLOROBENZENE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4615 | 1,3-DICHLOROBENZENE (M-DICHLOROBENZNE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4620 | 1,4-DICHLOROBENZENE (P-DICHLOROBENZENE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4835 | HEXACHLOROBUTADIENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4840 | HEXACHLOROETHANE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5005 | NAPHTHALENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5015 | NITROBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5095 | PYRIDINE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| Method Code: 10307003 | Method Ref: SW-846 8260C | | Revision: | | Date: 2006 | |
| 5160 | 1,1,1-TRICHLOROETHANE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5110 | 1,1,2,2-TETRACHLOROETHANE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5165 | 1,1,2-TRICHLOROETHANE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4630 | 1,1-DICHLOROETHANE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4640 | 1,1-DICHLOROETHYLENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5210 | 1,2,4-TRIMETHYLBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4610 | 1,2-DICHLOROBENZENE (O-DICHLOROBENZENE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4635 | 1,2-DICHLOROETHANE (ETHYLENE DICHLORIDE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4655 | 1,2-DICHLOROPROPANE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5215 | 1,3,5-TRIMETHYLBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4615 | 1,3-DICHLOROBENZENE (M-DICHLOROBENZNE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4620 | 1,4-DICHLOROBENZENE (P-DICHLOROBENZENE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4410 | 2-BUTANONE (METHYL ETHYL KETONE, MEK) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



ENDYNE INC (#2021)
160 JAMES BROWN DR

WILLISTON VT 05495
802-879-4333

Lab ID: 2021



| | | | | | | |
|------|---|------------|------------|----|-----|----|
| 4910 | 4-ISOPROPYLTOLUENE (P-CYMENE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4375 | BENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4395 | BROMODICHLOROMETHANE | 06/29/2015 | 10/12/2025 | SC | VOC | NE |
| 4400 | BROMOFORM | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4455 | CARBON TETRACHLORIDE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4475 | CHLOROBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4575 | CHLORODIBROMOMETHANE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4485 | CHLOROETHANE (ETHYL CHLORIDE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4505 | CHLOROFORM | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4680 | CIS-1,3-DICHLOROPROPENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4765 | ETHYLBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4900 | ISOPROPYLBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4950 | METHYL BROMIDE (BROMOMETHANE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4960 | METHYL CHLORIDE (CHLOROMETHANE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5000 | METHYL TERT-BUTYL ETHER (MTBE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4975 | METHYLENE CHLORIDE (DICHLOROMETHANE) | 06/29/2015 | 10/12/2025 | SC | VOC | NE |
| 4435 | N-BUTYLBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5090 | N-PROPYLBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5005 | NAPHTHALENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4440 | SEC-BUTYLBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4445 | TERT-BUTYLBENZENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5115 | TETRACHLOROETHYLENE (PERCHLOROETHYLENE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5140 | TOLUENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4700 | TRANS-1,2-DICHLOROETHYLENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 4685 | TRANS-1,3-DICHLOROPROPYLENE | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5170 | TRICHLOROETHENE (TRICHLOROETHYLENE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5235 | VINYL CHLORIDE (CHLOROETHENE) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |
| 5260 | XYLENE (TOTAL) | 11/25/2013 | 10/12/2025 | SC | VOC | NE |

Method Code: 10186002 Method Ref: SW-846 8270D

Revision: UPDATE IV

Date: 2007

| | | | | | | |
|------|--|------------|------------|----|-----|----|
| 4659 | 2,2'-OXYBIS(1-CHLOROPROPANE), BIS(2-CHLORO-1-METHYLETHYL)ETHER | 01/11/2016 | 10/12/2025 | SC | SBN | NE |
| 6835 | 2,4,5-TRICHLOROPHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6840 | 2,4,6-TRICHLOROPHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6000 | 2,4-DICHLOROPHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6130 | 2,4-DIMETHYLPHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6175 | 2,4-DINITROPHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



ENDYNE INC (#2021)
160 JAMES BROWN DR

WILLISTON VT 05495
802-879-4333

Lab ID: 2021



| | | | | | | |
|------|---|------------|------------|----|-----|----|
| 6185 | 2,4-DINITROTOLUENE (2,4-DNT) | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6190 | 2,6-DINITROTOLUENE (2,6-DNT) | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5795 | 2-CHLORONAPHTHALENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5800 | 2-CHLOROPHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6360 | 2-METHYL-4,6-DINITROPHENOL (4,6-DINITRO-2-METHYLPHENOL) | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6385 | 2-METHYLNAPHTHALENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6400 | 2-METHYLPHENOL (O-CRESOL) | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6490 | 2-NITROPHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5945 | 3,3'-DICHLOROBENZIDINE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6405 | 3-METHYLPHENOL (M-CRESOL) | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5660 | 4-BROMOPHENYL PHENYL ETHER (BDE-3) | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5700 | 4-CHLORO-3-METHYLPHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5825 | 4-CHLOROPHENYL PHENYLETHER | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6410 | 4-METHYLPHENOL (P-CRESOL) | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6500 | 4-NITROPHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5500 | ACENAPHTHENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5505 | ACENAPHTHYLENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5555 | ANTHRACENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5595 | BENZIDINE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5575 | BENZO(A)ANTHRACENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5580 | BENZO(A)PYRENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5585 | BENZO(B)FLUORANTHENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5590 | BENZO(G,H,I)PERYLENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5600 | BENZO(K)FLUORANTHENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5760 | BIS(2-CHLOROETHOXY)METHANE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5765 | BIS(2-CHLOROETHYL) ETHER | 07/05/2017 | 10/12/2025 | SC | SBN | NE |
| 5670 | BUTYL BENZYL PHTHALATE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5855 | CHRYSENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6065 | DI(2-ETHYLHEXYL) PHTHALATE (BIS(2-ETHYLHEXYL)PHTHALATE, DEHP) | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5925 | DI-N-BUTYL PHTHALATE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6200 | DI-N-OCTYL PHTHALATE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 5895 | DIBENZO(A,H)ANTHRACENE | 06/29/2015 | 10/12/2025 | SC | SBN | NE |
| 6070 | DIETHYL PHTHALATE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6135 | DIMETHYL PHTHALATE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



ENDYNE INC (#2021)
160 JAMES BROWN DR

WILLISTON VT 05495
802-879-4333
Lab ID: 2021



| | | | | | | |
|--|---|------------|----------------------------|----|-------------------|----|
| 6265 | FLUORANTHENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6270 | FLUORENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6275 | HEXACHLOROBENZENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6315 | INDENO(1,2,3-CD)PYRENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6320 | ISOPHORONE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6545 | N-NITROSODI-N-PROPYLAMINE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6530 | N-NITROSODIMETHYLAMINE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6535 | N-NITROSODIPHENYLAMINE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6605 | PENTACHLOROPHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6615 | PHENANTHRENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6625 | PHENOL | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| 6665 | PYRENE | 11/25/2013 | 10/12/2025 | SC | SBN | NE |
| Method Code: 10305609 Method Ref: SW-846 8015D | | | Revision: | | Date: 2003 | |
| 9369 | DIESEL RANGE ORGANICS (DRO) | 11/25/2013 | 10/12/2025 | SC | SNO | NE |
| Method Code: 10179201 Method Ref: SW-846 8082A | | | Revision: | | Date: 2000 | |
| 8880 | AROCLOR-1016 (PCB-1016) | 11/25/2013 | 10/12/2025 | SC | SPC | NE |
| 8885 | AROCLOR-1221 (PCB-1221) | 11/25/2013 | 10/12/2025 | SC | SPC | NE |
| 8890 | AROCLOR-1232 (PCB-1232) | 11/25/2013 | 10/12/2025 | SC | SPC | NE |
| 8895 | AROCLOR-1242 (PCB-1242) | 11/25/2013 | 10/12/2025 | SC | SPC | NE |
| 8900 | AROCLOR-1248 (PCB-1248) | 12/07/2016 | 10/12/2025 | SC | SPC | NE |
| 8905 | AROCLOR-1254 (PCB-1254) | 12/07/2016 | 10/12/2025 | SC | SPC | NE |
| 8910 | AROCLOR-1260 (PCB-1260) | 11/25/2013 | 10/12/2025 | SC | SPC | NE |
| Method Code: 10178811 Method Ref: SW-846 8081B | | | Revision: UPDATE IV | | Date: 2007 | |
| 7355 | 4,4'-DDD | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7360 | 4,4'-DDE | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7365 | 4,4'-DDT | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7025 | ALDRIN | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7110 | ALPHA-BHC (ALPHA-HEXACHLOROCYCLOHEXANE) | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7115 | BETA-BHC (BETA-HEXACHLOROCYCLOHEXANE) | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7250 | CHLORDANE (TECH.) | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7105 | DELTA-BHC | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7470 | DIELDRIN | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7510 | ENDOSULFAN I | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7515 | ENDOSULFAN II | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7520 | ENDOSULFAN SULFATE | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7540 | ENDRIN | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7530 | ENDRIN ALDEHYDE | 08/20/2021 | 10/12/2025 | SC | SPE | NE |

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).

NEW HAMPSHIRE ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM

29 Hazen Drive, PO Box 95, Concord, NH 03302 (603) 271-2998

SECONDARY ACCREDITATION ANALYTE LIST

ANALYTE LIST NUMBER: 202124-A



**ENDYNE INC (#2021)
160 JAMES BROWN DR**

**WILLISTON VT 05495
802-879-4333**

Lab ID: 2021



| | | | | | | |
|--|--|------------|----------------------------|----|-------------------|----|
| 7120 | GAMMA-BHC (LINDANE, GAMMA-HEXACHLOROCYCLOHEXANE) | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7685 | HEPTACHLOR | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7690 | HEPTACHLOR EPOXIDE | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 7810 | METHOXYCHLOR | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| 8250 | TOXAPHENE (CHLORINATED CAMPHENE) | 08/20/2021 | 10/12/2025 | SC | SPE | NE |
| Method Code: 10186002 Method Ref: SW-846 8270D | | | Revision: UPDATE IV | | Date: 2007 | |
| 6285 | HEXACHLOROCYCLOPENTADIENE | 11/25/2013 | 10/12/2025 | SC | SPE | NE |

Bill Hall
ENDYNE IN 10/11/2024

Bill Hall
NH ELAP Program Manager
Issue Date: 10/11/2024

Matrix Legend: AE=Air; BT=Tissue; D=Drinking Water; N=Non-Potable Water; SC=Solid and Chemical Materials

Category Legend: MIC=Microbiology; MET=Metals; NMI=Non-Metal Inorganics; PRE=Preparation; VOC=Volatile Organic Compounds; SBN=SVOC-BNA; SHE=SVOC-Herbicides; SNO=SVOC-NOS; SPC=SVOC-PCB; SPE=SVOC-Pesticides; RAD=Radiochemistry; WET=Wet, PFC=Perfluorinated compound

Accreditation Legend: NE=NELAP; NH=NH State Certification; CE=State Certification; IN=Interim (NELAP); WI=Withdrawn; AP=Applied; RE=Revoked; SU=Suspended

This analyte list supersedes all previously issued analyte lists. Method accreditation does not imply acceptance for NHDES compliance testing. Laboratory is required to use EPA-approved methods required by regulation. Continuing accreditation status is dependent on successful ongoing participation in the program. Customers may verify the laboratory's current accreditation status by calling (603) 271-2998 or by visiting the NH ELAP website (<https://www.des.nh.gov/water/drinking-water/new-hampshire-environmental-laboratory-accreditation-program>).